




PRODUCT NAME: Filter 1-Light Pendant
NUMBER: 10086

Please consult your electrician for Hang fixture and wiring.




Bulb (Not included) : 1*MB 60W


IMPORTANT: Turn off power at the main fuse or circuit breaker box before starting installation




(A) Canopy



(B) Stems




(C) Body



(D) shade


Locate all hardware & components before discarding packaging



Cleaning & Care:


Clean with soft cloth and a mild detergent.
Do not use abrasive cleaner.

1.)




Step. 1: Remove mounting bracket (H) from fixture and install to electrical box.

2.)




Step. 2: Run wire through stems (B) and combine stem lengths to meet desired mounting height.

3.)



Step. 3: Wire fixture to wires in outlet box. Copper/Green wire is for Ground.

4.)



Step. 4: Install fixture to bracket and tighten ball nuts (I) on the canopy to secure.


IMPORTANT: Turn off power at the main fuse or circuit breaker box before starting installation



(E) Socket ring



(G) Part





(H) Bracket




(I) Ball nut

Locate all hardware & components before discarding packaging



Step. 5: Use socket ring (E) to secure shade (D) on body.



Step. 6: Install part (G) on the body (C).

Cleaning & Care:

Clean with soft cloth and a mild detergent.
Do not use abrasive cleaner.